

Table 3.4
Counts (Annualized Percentages) of Participants with Self-Reported Outcomes by Age at Enrollment and Race/Ethnicity for DM Participants Who Did Not Report a Prevalent Condition at Baseline

Data as of: September 30, 2015; Events through September 30, 2015

Outcome	Total	Age at Enrollment			
		50-54	55-59	60-69	70-79
Number randomized	48835	6961	11037	22715	8122
Mean follow-up (months)	180.0	194.2	190.6	179.5	155.0
Hospitalizations					
Ever	34963 (4.77%)	4048 (3.59%)	7159 (4.08%)	17084 (5.03%)	6672 (6.36%)
Two or more	24743 (3.38%)	2509 (2.23%)	4721 (2.69%)	12412 (3.65%)	5101 (4.86%)
Other					
DVT ¹	1173 (0.17%)	86 (0.08%)	195 (0.11%)	595 (0.18%)	297 (0.30%)
Pulmonary embolism	940 (0.13%)	78 (0.07%)	173 (0.10%)	500 (0.15%)	189 (0.18%)
Diabetes (treated)	7451 (1.06%)	1141 (1.04%)	1769 (1.04%)	3507 (1.08%)	1034 (1.03%)
Gallbladder disease ^{2, 3}	3830 (1.16%)	573 (1.07%)	902 (1.15%)	1802 (1.22%)	553 (1.09%)
Hysterectomy	2525 (0.60%)	410 (0.64%)	656 (0.61%)	1167 (0.61%)	292 (0.51%)
Glaucoma ³	5315 (1.40%)	567 (0.95%)	1098 (1.22%)	2587 (1.50%)	1063 (1.82%)
Osteoporosis ³	10217 (2.74%)	1128 (1.91%)	1968 (2.21%)	5020 (2.98%)	2101 (3.73%)
Osteoarthritis ⁴	15318 (3.25%)	2523 (2.85%)	3760 (3.01%)	6988 (3.42%)	2047 (3.79%)
Rheumatoid arthritis ³	2848 (0.75%)	399 (0.68%)	631 (0.71%)	1319 (0.76%)	499 (0.83%)
Intestinal polyps	12736 (1.87%)	1969 (1.80%)	3210 (1.93%)	6004 (1.92%)	1553 (1.66%)
Lupus	754 (0.10%)	112 (0.10%)	179 (0.10%)	359 (0.11%)	104 (0.10%)
Kidney stones ^{3,4}	1319 (0.35%)	175 (0.30%)	281 (0.32%)	654 (0.38%)	209 (0.34%)
Cataracts ^{3,4}	15480 (4.45%)	1157 (1.95%)	2858 (3.23%)	8460 (5.38%)	3005 (7.00%)
Hypertension treated w/pills	18631 (3.59%)	2669 (2.93%)	4372 (3.28%)	8807 (3.81%)	2783 (4.39%)
COPD ⁵	1837 (0.92%)	200 (0.67%)	399 (0.85%)	1015 (1.10%)	223 (0.75%)
Macular degeneration ⁶	4900 (1.16%)	339 (0.53%)	767 (0.77%)	2614 (1.34%)	1180 (1.97%)
Alzheimer's disease ⁶	3444 (0.82%)	147 (0.23%)	422 (0.42%)	1841 (0.94%)	1034 (1.73%)
Parkinson's disease ⁶	632 (0.15%)	46 (0.07%)	128 (0.13%)	345 (0.18%)	113 (0.19%)

¹ Inpatient DVT only.

² "Gallbladder disease" includes self-reports of both hospitalized and non-hospitalized events.

³ Data not collected for the WHI Extension Studies 2005-2015.

⁴ These outcomes have not been self-reported on all versions of Form 33 during WHI follow-up. The annualized percentages are corrected for the different amounts of follow-up.

⁵ Data only collected during the WHI Extension Study 2010-2015.

⁶ Data only collected during the WHI Extension Studies 2005-2015.

Table 3.4 (continued)
Counts (Annualized Percentages) of Participants with Self-Reported Outcomes by Age at Enrollment and Race/Ethnicity for DM Participants Who Did Not Report a Prevalent Condition at Baseline

Data as of: September 30, 2015; Events through September 30, 2015

Outcomes	Race/Ethnicity					
	Am Indian/ Alaskan Native	Asian/Pacific Islander	Black/African American	Hispanic/ Latino	White	Unknown
Number randomized	202	1105	5262	1845	39762	659
Mean follow-up (months)	165.8	174.3	165.0	156.0	183.6	166.2
Hospitalizations						
Ever	133 (4.77%)	608 (3.79%)	3489 (4.82%)	1038 (4.33%)	29258 (4.81%)	437 (4.79%)
Two or more	92 (3.30%)	352 (2.19%)	2432 (3.36%)	652 (2.72%)	20933 (3.44%)	282 (3.09%)
Other						
DVT ¹	3 (0.11%)	5 (0.03%)	139 (0.20%)	23 (0.10%)	989 (0.17%)	14 (0.16%)
Pulmonary embolism	4 (0.15%)	3 (0.02%)	108 (0.15%)	17 (0.07%)	797 (0.13%)	11 (0.12%)
Diabetes (treated)	36 (1.38%)	188 (1.24%)	1145 (1.77%)	337 (1.49%)	5635 (0.95%)	110 (1.27%)
Gallbladder disease ^{2, 3}	14 (1.22%)	60 (0.77%)	304 (0.81%)	152 (1.42%)	3250 (1.21%)	50 (1.14%)
Hysterectomy	6 (0.46%)	41 (0.40%)	172 (0.53%)	80 (0.62%)	2206 (0.62%)	20 (0.38%)
Glaucoma ³	30 (1.95%)	108 (1.30%)	762 (1.95%)	201 (1.47%)	4150 (1.33%)	64 (1.33%)
Osteoporosis ³	43 (2.81%)	272 (3.33%)	678 (1.68%)	409 (3.10%)	8675 (2.84%)	140 (2.96%)
Osteoarthritis ⁴	62 (3.61%)	363 (3.06%)	1510 (3.36%)	597 (3.55%)	12572 (3.22%)	214 (3.68%)
Rheumatoid arthritis ³	23 (1.59%)	49 (0.59%)	505 (1.29%)	222 (1.65%)	1998 (0.64%)	51 (1.05%)
Intestinal polyps	61 (2.34%)	270 (1.84%)	1402 (2.08%)	410 (1.79%)	10426 (1.84%)	167 (1.98%)
Lupus	5 (0.18%)	11 (0.07%)	108 (0.15%)	26 (0.11%)	591 (0.10%)	13 (0.14%)
Kidney stones ^{3, 4}	9 (0.60%)	27 (0.33%)	137 (0.34%)	58 (0.43%)	1071 (0.34%)	17 (0.35%)
Cataracts ^{3, 4}	61 (4.44%)	306 (4.04%)	1509 (4.04%)	537 (4.14%)	12863 (4.53%)	204 (4.61%)
Hypertension treated w/pills	67 (3.64%)	398 (3.65%)	1687 (4.58%)	722 (4.04%)	15527 (3.49%)	230 (3.68%)
COPD ⁵	11 (1.41%)	16 (0.35%)	145 (0.70%)	51 (0.68%)	1592 (0.98%)	22 (0.81%)
Macular degeneration ⁶	20 (1.15%)	63 (0.66%)	242 (0.57%)	128 (0.86%)	4404 (1.27%)	43 (0.77%)
Alzheimer's disease ⁶	11 (0.63%)	57 (0.59%)	322 (0.75%)	114 (0.76%)	2902 (0.84%)	38 (0.68%)
Parkinson's disease ⁶	3 (0.17%)	11 (0.11%)	45 (0.11%)	18 (0.12%)	546 (0.16%)	9 (0.16%)

¹ Inpatient DVT only.

² "Gallbladder disease" includes self-reports of both hospitalized and non-hospitalized events.

³ Data not collected for the WHI Extension Studies 2005-2015.

⁴ These outcomes have not been self-reported on all versions of Form 33 during WHI follow-up. The annualized percentages are corrected for the different amounts of follow-up.

⁵ Data only collected during the WHI Extension Study 2010-2015.

⁶ Data only collected during the WHI Extension Studies 2005-2015.